



* wake tower in option

GENERAL SPECIFICATIONS

• L.O.A*:	6,43 m	21'1"
• Hull length:	6,10 m	20'
• Overall width:	2,52 m	8'3"
• Beam:	2,50 m	8'2"
• Draught (min/max):	0,40 - 0,80 m	1'4" - 2'7"
• Air draught:	1,35 m	4'5"
• Light displacement (EC):	1 549 kg**	3,414 lbs**
• Light displacement without engine:	1 265 kg**	2,788 lbs**
• Fuel tank:	170 l	45 US Gal
• Water tank (optional extra):	100 l	26 US Gal
• Max engine certification:	200 HP	200 HP
• Length - Driving shaft:	XL / 635mm	25"

* Length given without engine

** Provisional

ARCHITECT / DESIGNERS

- Hull development: Remi Laval Jeantet /Tanguy Le Bihan / Patrick Tableau
- Designers: Style & Design

EC CERTIFICATE

- Category C - 8 persons
- Category D - 10 persons

AIR STEP SYSTEM®

- R.L. JEANTET
- P. TABLEAU
- M. TRONQUEZ



BENETEAU

Flyer 6 SPORTdeck

Inventory list

STANDARD EQUIPMENT

CONSTRUCTION

HULL

Composition:

- Polyester sandwich
- Injection moulded hull
- White gel coat
- AIRSTEP patented hull®

DECK

Composition:

- Polyester sandwich
- White gel coat

DECK EQUIPMENT

MOORING LINES - MOORING

- Self-bailing mooring locker with hatch cover
- Eye bolt to secure mooring
- 2 Forward cleats + 2 Aft cleat(s) in 200 mm / 8" aluminium
- Winching ring on bow
- 2 Chain plate on aft transom

SAFETY ON DECK

- Stainless steel open pulpit
- Handrails in cockpit, stainless steel

DECK FORWARD

- 2 Portside and starboard seats , with storage lockers (1,98 m / 6'6" x 0,75 m / 2'6")
- Port cabinet: Location for marine toilet, with privacy tent (optional)
- 3x storage / cup holders
- Central way (Beam = 0,48 m / 1'7")
- Storage locker on the central way

COCKPIT

- Wide and deep self-bailing cockpit (2,08 M / 6'10" length and 2,08 M / 6'10" width)
- 3 people removable polyester cockpit benchseat, convertible sunbed*
- 1 people removable extended seat, with backrest / Security door
- Large lockable cockpit locker (BIB location)
- (170 L / 45 US Gal)hermetic and ventilated rotomoulded fuel tank, in the back of cockpit locker
- Fuel filler on transom
- Locked storage on starboard aft platform
- Locked storage on starboard aft platform
- All-round light on samson post mounted on starboard freeboard
- Navigation lights (Port and starboard)

(* Sunbed cushions in option)

INTERIOR

STEERING STATION

- PMMA grey tinted full beam windscreen , with forward access
- Pilot consol:
 - Dashboard with location for electronics , 7" screen, rpm and trim
 - Fuel gauge
 - Sports steering wheel
 - Location for top gas throttle (Throttle and instruments delivered with pre-rigging)
 - Hydraulic steering
 - Pilot seat with function Bolster - 360 ° swivelling
 - Stowage / Glass holder
- Co-pilot consol
 - Copilot hand rail
 - co-pilot seat with integrated Bolster function - 360 ° swivelling
 - Stowage / Glass holder
 - Location for Sonic Hub (pack electronic updated)
 - 12 V socket

ELECTRICITY

- 12 V electrical panel
- Engine battery with bowl in the cockpit locker: delivered with the pre-rigging
- Battery switch located in forward central locker

PLUMBING

- 1 Manual bilge pump
 - 1 Electric bilge pump
- optional extra:
- Water unit
 - Pressured cold water
 - Deck filler, under pilot bench

TRIM LEVEL

	DYNAMIC 2015	NORDIC 2015
Stainless steel bow roller	■	
Twin colors PVC Diamante Snow + Yellow exterior cushions: Cockpit bench seat 3+1, Cockpit backrest 3+1, Forward seat + Portside backrest, Forward seat + Starboard backrest	■	■
Sun mattress forward + Starboard support	■	■
Offshore Compass	■	■
Bow ladder		■
Ligher grey windscreen		■

OPTIONS

PACKS

PACK ELECTRONIC - 2015

- Multifunction LOWRANCE ELITE 7" screen
- LOWRANCE HDI Sensor

PACK ELECTRONIC - UPGRADED 2015

- Multifunction screen LOWRANCE HDS 7" Touch (chart not included)
- LOWRANCE HDI Sensor
- Sonic HUB™: Player MP3, AUX., USB, Dock IPOD, 2 Speakers + Bluetooth

OTHER OPTIONS

- Cockpit table - Removable (2 Housings: Cockpit + forward)
- Mattress for aft sunbed + 2 PVC Diamante Snow + Yellow headrest
- Mooring awning
- Charcoal grey twin colors bimini + Yellow
- Forward sun awning extension (cannot be used while cruising) *
- Cockpit carpet
- Marine toilet + 88 L / 23 US Gal/black water tank, in the cockpit locker + Gauge + Privacy tent
- Cold water pressured cockpit shower hose, soft water tank in the back of the cockpit locker (100 l / 26 US Gal)
- Black laquered alu wake tower
- Stainless steel ski mast
- Bathing platforms
- Electric windlass - 12 V + Bow roller hinge + Safety
- Pre rigging Suzuki electronic 1 x (150-175 CV/HP)
- Pre rigging Suzuki 1 x (150-200 CV/HP)
- Pre rigging Yamaha electronic 1 x (150 CV/HP)
- Pre rigging Yamaha 1 x (115-150 CV/HP)
- Pre rigging Honda 1 x (115-200 CV/HP)

* (Bimini option required)

ENGINE SET UP

See sea trial data.



America/Export: Please note that electric power and appliances may be different and/ or not offered on standard or on option. They would be adapted locally by your dealer.

