



GENERAL SPECIFICATIONS

• L.O.A*:	5,26 m	17'3"
• Hull length:	5,18 m	17'
• Overall width:	2,36 m	7'9"
• Beam:	2,34 m	7'8"
• Draught (min/max):	0,40 - 0,80 m	1'4" - 2'7"
• Air draft:	1,80 m	5'11"
• Light displacement (EC):	1 204 kg	2,654 lbs
• Light displacement without engine:	974 kg	2,147 lbs
• Fuel tank:	136 L	36 US Gal
• Water tank (optional extra):	55 L	15 US Gal
• Max engine certification:	140 HP	140 HP
• Length - Driving shaft:	XL / 635mm	25"

* Length given without engine

ARCHITECTS / DESIGNERS

- Hull development: Remi Laval Jeantet / Tanguy Le Bihan / Patrick Tableau
- Designers: Style & Design

EC CERTIFICATION

- Category C - 6 people
- Category D - 6 people

AIR STEP SYSTEM®

- R.L. JEANTET
- P. TABLEAU
- M. TRONQUEZ



BENETEAU

Flyer 5.5 SPACEdeck

General Equipment list - Europe

STANDARD EQUIPMENT

CONSTRUCTION

HULL

Composition:

- Polyester sandwich
- White gel coat
- AIRSTEP patented hull®

DECK

Composition:

- Polyester sandwich
- White gel coat

DECK EQUIPMENT

MOORING LINES - MOORING

- Self-bailing mooring locker with hatch cover
- Eye bolt to secure mooring
- 2 Forward cleats + 2 Aft cleats in aluminium, 200 mm / 8"
- Winching ring on bow
- 2 Chain plate on aft transom
- Stainless steel bow roller + 1 Cleat

SAFETY ON DECK

- Stainless steel open pulpit
- Handrails in cockpit, stainless steel
- Wide sideways around the consol: Port side 35 cm / 1'2", Starboard 35 cm / 1'2"

DECK

- 2 2 people forward seats
- Large storage locker forward lockable
- 2x storage / cup holders

COCKPIT

- Wide and deep self-bailing cockpit (1,40 M / 4'7" length and 2,00 M / 6'7" width)
- 3 people aft seat, with stainless steel handrail on backrest*
- 1 people removable extended seat, with backrest / Security door
- Large lockable cockpit locker (BIB location)
- (136 L / 36 US Gal) hermetic and ventilated rotomoulded fuel tank, in the back of cockpit locker
- Fuel filler on transom
- Locked storage on starboard aft platform
- All-round light on samson post mounted on starboard freeboard
- Navigation lights (Port and starboard)

STEERING STATION

- Windscreen PMMA light grey tinted
- Center consol
- Sports steering wheel
- Leaning post
- 2 Handrails (Pilot + Co-pilot)
- Fitted footrests
- Dashboard with location for electronics , 7" screen, rpm and trim
- Location for top gas throttle (Throttle and instruments delivered with pre-rigging)
- Fuel gauge
- 12 V socket
- Battery switch
- Cable steering with non-return system (Hydraulic steering optional extra)
- Handrail around the windscreen

ELECTRICITY

- 12 V electrical panel
- Installation for engine battery delivered with the pre-rigging (battery not delivered)

PLUMBING

- 1 Manual bilge pump
- 1 Electric bilge pump

optional extra:

- Water unit
- Pressured cold water
- Deck filler

* (Warning: Folding bench seat offered in Comfort pack)



BENETEAU

Flyer 5.5 SPACEdeck

General Equipment list - Europe

TRIM LEVEL & PACKS

COMFORT PACK

- Twin colors PVC Diamante Snow + Vogue onyx exterior cushions:
 - Cockpit bench seat (3+1),
 - Cockpit backrest (3+1),
 - Forward portside seat,
 - Forward starboard seat,
 - Consol seat.
- Removable cockpit table (2 Housings: Cockpit + forward)
- Cockpit shower spray
- Offshore Compass

ELECTRONICS PACKS

ELECTRONIC PACK

- GARMIN 7" (ECHOMAP Plus 72cv) Multifunction screen (chart not included)
- GARMIN GT20-TM Sensor

SOUND PACK

- Fusion MS-RA55
- 50 W speakers x 2



BENETEAU

Flyer 5.5 SPACEdeck

General Equipment list - Europe

OPTIONS

- Cockpit bench convertible into a sun deck (with upholstery)
 - Pilot and co-pilot seats with Bolster function - 360 ° swivelling and adjustable
 - Forward sun bed hammock style
 - Cover of console and leaning post
 - Cover of console and bolster seat
 - Graphite bimini
 - Graphite forward sun awning extension (cannot be used while cruising) *
 - Pilot consol integral protection
 - Stainless steel ski mast
 - wake tower
 - Extended swim platform
 - 68L / 18 US Gal icebox, in front console with seating cushions
 - Hydraulic steering
 - 2 Fishing rod holders
 - Graphite T-Top
-
- Pre-rigging Suzuki (1 x 90-140 CV/HP)
 - Suzuki keyless pre-rigging (1 x 90-140 CV/HP)
 - Pre-rigging Yamaha (1 x 90-140 CV/HP)
 - Pre-rigging Honda (1 x 90-140 CV/HP)
 - Mercury mecanic pre-rigging (1 x F80-115 CV/HP)

* (Bimini option required)

ENGINE SET UP

See sea trial data.