



## GENERAL SPECIFICATIONS

• L.O.A*:	5,50 m	18'1"
• Hull length:	5,17 m	17'
• Overall width:	2,36 m	7'9"
• Beam:	2,34 m	7'8"
• Draught (min/max):	0,40 - 0,80 m	1'4" - 2'7"
• Air draught:	1,80 m	5'11"
• Light displacement (EC):	1 185 kg	2,612 lbs
• Light displacement without engine:	955 kg	2,105 lbs
• Fuel tank:	135 l	36 US Gal
• Water tank (optional extra):	50 l	13 US Gal
• Max engine certification:	140 HP	140 HP
• Length - Driving shaft:	XL / 635mm	25"

\* Length given without engine

## ARCHITECT / DESIGNERS

- Hull development: Remi Laval Jeantet /Tanguy Le Bihan / Patrick Tableau
- Designers: Style & Design

## EC CERTIFICATE

- Category C - 6 persons - Required
- Category D - 6 persons - Required

## AIR STEP SYSTEM®

- R.L. JEANTET
- P. TABLEAU
- M. TRONQUEZ



**BENETEAU**

# Flyer 5 SPACEdeck

Provisional General Equipment

## STANDARD EQUIPMENT

### CONSTRUCTION

#### HULL

Composition:

- Polyester sandwich
- White gel coat
- AIRSTEP patented hull®

#### DECK

Composition:

- Polyester sandwich
- White gel coat

### DECK EQUIPMENT

#### MOORING LINES - MOORING

- Self-bailing mooring locker with hatch cover
- Eye bolt to secure mooring
- 2 Forward cleats + 2 Aft cleat(s) in 200 mm / 8" aluminium
- Winching ring on bow
- 2 Chain plate on aft transom

#### SAFETY ON DECK

- Stainless steel open pulpit
- Handrails in cockpit, stainless steel
- Wide sideways around the consol: Port side 35 cm / 1'2", Starboard 35 cm / 1'2"

#### DECK

- 2 2 people forward seats
- Large storage locker forward lockable
- 2x storage / cup holders

#### COCKPIT

- Wide and deep self-bailing cockpit (1,40 M / 4'7" length and 2,00 M / 6'7" width)
- 3 people aft seat, with stainless steel handrail on backrest
- 1 people removable extended seat, with backrest / Security door
- Large lockable cockpit locker (BIB location)
- (135 L / 36 US Gal) hermetic and ventilated rotomoulded fuel tank, in the back of cockpit locker
- Fuel filler on transom
- Locked storage on starboard aft platform
- All-round light on samson post mounted on starboard freeboard
- Navigation lights (Port and starboard)

#### STEERING STATION

- Grey tinted windscreen in PMMA
- Center consol
- Sports steering wheel
- Leaning post
- 2 Handrails (Pilot + Co-pilot)
- Fitted footrests
- Dashboard with location for electronics, 7" screen, rpm and trim
- Location for top gas throttle (Throttle and instruments delivered with pre-rigging)
- Fuel gauge
- 12 V socket
- Battery switch
- Cable steering with non-return system (Hydraulic steering optional extra)

### ELECTRICITY

- 12 V electrical panel
- Engine battery with bowl in the cockpit locker: delivered with the pre-rigging

### PLUMBING

- 1 Manual bilge pump
  - 1 Electric bilge pump
- optional extra:
- Water unit
  - Pressured cold water
  - Deck filler



## TRIM LEVEL

	DYNAMIC 2015	NORDIC 2015
Stainless steel bow roller + 1 Cleat	■	
Offshore Compass	■	■
2 Fishing rod holders	■	■
Twin colors PVC Diamante Snow exterior cushions + Silvertex Storm: Cockpit bench seat 3+1, Cockpit backrest 3+1, Forward portside seat, Forward starboard seat	■	■
Handrail around the windscreen	■	■
Cockpit table - Removable (2 Housings: Cockpit + forward)	■	■
Bow ladder		■
Ligther grey windscreen		■

## OPTIONS

### PACKS

#### PACK ELECTRONIC - 2015

- Multifunction LOWRANCE ELITE 5" screen
- LOWRANCE HDI Sensor

#### PACK ELECTRONIC - UPGRADED 2015

- Multifunction screen LOWRANCE HDS 7" Touch (chart not included)
- LOWRANCE HDI Sensor
- Sonic HUB™: Player MP3, AUX., USB, Dock IPOD, 2 Speakers + Bluetooth

### OTHER OPTIONS

- Pilot and co-pilot seats with Bolster function - 360 ° swivelling and adjustable
- Aft bench seat, convertible into sun lounger + Backrest
- Mattress for aft sunbed + 2 PVC Diamante Snow + Silvertex Storm headrest
- Forward sun bed hammock style
- Console cover
- Mooring awning
- Charcoal grey twin colors bimini + Terra orange
- Forward sun awning extension (cannot be used while cruising) \*
- Pilot consol integral protection
- Cold water pressured cockpit shower hose, soft water tank in the back of the cockpit locker (50 l / 13 US Gal)
- Stainless steel ski mast
- wake tower
- Bathing platforms reported
- 68L icebox / 18 US Gal, in front console with seating cushions
- Hydraulic steering
- Pre rigging Suzuki electronic 1 x (90-140 CV/HP)
- Pre rigging Yamaha 1 x (90-140 CV/HP)
- Pre rigging Honda 1 x (90-140 CV/HP)

\* (Bimini option required)

## ENGINE SET UP

See sea trial data.



America/Export: Please note that electric power and appliances may be different and/ or not offered on standard or on option. They would be adapted locally by your dealer.

