



## GENERAL SPECIFICATIONS\*

• L.O.A*:	14,74 m	48'4"
• Hull length:	12,77 m	41'11"
• Overall width:	4,5 m	14'9"
• Beam:	4,42 m	14'6"
• Light displacement (EC):	12 685 kg	27,958 lbs
• Air draft:	5,79 m	18'12"
• Draught (including propeller):	1,15 m	3'10"
• Fuel tank:	1 930 L	510 US Gal
• Water tank:	640 L	169 US Gal
• Sewage tank:	170 L	45 US Gal
• Grey water tank (Option):	320 L	85 US Gal
• Engine power:	2 x 425 HP	2 x 425 HP

\* (with aft swimming platform + Anchor in position)

## ARCHITECTS / DESIGNERS

- Naval Architect: MICAD
- Design: Andreani Design

## EC CERTIFICATION\*

- Category B: 14 people
- Category C: 16 people

\* Provisional specifications, boat in process of certification.



## STANDARD EQUIPMENT

### CONSTRUCTION

#### HULL

Composition:

- Sandwich (Polyester resin infusion - Glass fiber)
- White gel coat (RAL 9010)
- Structural hull counter moulding in monolithic laminate (Polyester resin infusion - Glass fiber)

Profile:

- Semi-floating hull

#### DECK

Composition:

- Sandwich (Polyester resin infusion - Glass fiber / Balsa core)
- Structural counter moulding in monolithic laminate (Polyester resin - Glass fiber)
- White gel coat (RAL 9010)
- Diamond tip type non-slip covering

### AMBIANCE

- Alpi teak woodwork
- Beige teak deck joint
- Libra 07 interior upholstery
- PVC pilot bench Marlin white & Polaris
- Hitch Seashell avalanche outside upholstery

### DECK EQUIPMENT

- Gangway door to starboard

#### MOORING LINES - MOORING

- Double stainless steel bow fitting
- 2000 W Vertical electrical windlass, up / down and remote control from the windlass, wheelhouse and flybridge
- 10 Aluminium mooring cleats (L 400mm / 15 - 3/4")
- Stainless steel gunwale guards
- 2 Compartments equipped with self-bailers and polyester hoods

#### SAFETY ON DECK

- Stainless steel pulpit, open and surrounding cockpit up to steps
- Leather covered stainless steel handrails, in the cockpit

#### COCKPIT

- Self-bailing cockpit
- 2 Lockers in cockpit bottom gas piston assisted and lockable
- Gas cylinder locker integrated into the cockpit aft bench
- Hot/cold water cockpit shower
- Double port cockpit access door
- Swimming platform with stringer and battens in natural teak (4 x 1,4 m / 13'1" x 4'7")
- Ergonomic bathing ladder with hand holds in the bathing platform
- 1 PMMA access door at the starboard side deck from the cockpit
- Emergency ladder

### FLYBRIDGE

- Flybridge self-bailing
- Retractable stainless steel staircase with double flybridge access ramp with teak steps
- Grey tinted windscreen in PMMA
- Access by polyester hatch
- Stainless steel pulpit surrounding aft of flybridge
- Polyester mast for mounting navigation lights, radar and aerials
- Central steering console
- Control panel including: Electrical engine controls, Electric windlass control, Thruster and Flaps
- Gauges indicators
- Tiller angle indicator
- Space for navigation electronics
- Steering wheel stainless steel
- Steering compass
- Hydraulic steering
- Fog horn
- USB socket
- 1 Adjustable pilot seat and 3 places for co-pilot with convertible backrest
- Flybridge lounge, composed of \* 1 bench seats in L shape with built-in storage and an extendable teak table
- GRP unit with sink, handrail and stowage
- Space for life raft with stainless steel fixing bolt plates

### INTERIOR

#### SALOON

Headroom: 1,98 m / 6'6"

- Sofa convertible to double berth (1,4 x 1,9 m)
- Dividing rail and curtains for berth
- Roman shutters
- Pouf with storage
- 2 Folding arm chairs
- Semi-folding, adjustable height, varnished wood saloon table
- Storage units with 3 white lacquered slatted door
- 2 Large storage drawers
- Sliding aft 3 single disappearing door aft bay with black lacquered aluminium frame
- Leather sheathed stainless steel handrail in cockpit deckhead
- MP3, USB, IPOD® player with 2 speakers in the wheelhouse, 2 speakers in the cockpit and 2 flybridge speakers

#### GALLEY

Headroom: 1,98 m / 6'6"

- L-shaped galley with opening window - Includes:
  - Corian countertop
  - 2 Stainless steel sinks with cold/hot water mixer taps under pressure
  - Gas oven
  - 3-burner hob and oven with protective glass cover
  - 144 L fridge with 2 drawers
  - Cutlery drawer
  - Stowage and drawers
  - Double dustbin



## STEERING STATION

- Clear glass windscreen with aluminium frames black lacquered
- Anti-reflective coating
- 3 Synchronised windscreen wipers
- Windscreen washer
- Demister
- Side windows with black lacquered aluminium frames
- Dashboard with place for navigation electronics
- Oddments spaces and storage on port side
- Engine dials: Revolution counter, Fuel gauge, Warnings, Tiller angle indicator, Flap indicators
- Control: Electric windlass, Bow thruster, Navigation lights, Electric windscreen wipers and fog horns, Electric dual engine controls
- Steering wheel
- Steering compass
- Double USB socket
- Double tilting pilot bench seat
- Removable floor step
- Sliding side door with direct access to catwalk

## OWNER'S CABIN (FORWARD)

Headroom: 1,98 m / 6'6"

Large sliding access door

- Double berth (1,99 x 1,60 m / 6'6" x 5'3")
- Storage under berth
- Stowage on both sides of berth
- Mirror
- 1 Hanging locker with lighting
- 1 Cupboard with shelves
- 1 Opening deck hatch with fitted mosquito screen/blind
- 2 Hull windows with opening portholes and blackout blind

## HEAD (OWNER'S CABIN)

Headroom: 1,96 m / 6'5"

Separate shower compartment with seat and hull porthole

Deck hatch with mosquito screen/blind

- Mirror
- Top and bottom cupboard
- Electric toilet flushing with fresh water and salt water
- Oval washbasin
- 1 Opening deck hatch with fitted mosquito screen/blind
- 1 Hull porthole

## VIP CABIN (PORT SIDE)

Headroom: 1,98 m / 6'6"

- 2 Single beds convertible into double beds (1,96 x 1,72 m / 6'5" x 5'8")
- Bedside table
- Cupboards
- Storage under berth
- 3 Shelving unit
- Hull window with opening porthole and blackout blind
- 1 220 V socket & 2 USB sockets
- Large mirror

## THIRD CABIN (STARBOARD)

Headroom: 1,90 x 1,40 m / 6'3" x 4'7"

- Double berth (1,90 x 1,40 m / 6'3" x 4'7")
- Bedside table
- Storage under berth
- Opening hull porthole with blackout blind
- Light wells

## HEAD (STARBOARD - AFT)

Headroom: 1,98 m / 6'6"

- Mirror
- Top and bottom cupboard
- 2 opening portholes
- Electric toilet flushing with fresh water and salt water
- Oval washbasin
- Mixer tap
- Separate shower



## ENGINE

---

- Shaft line propulsion
- Four-blade propellers
- Cummins QSB 6.7L twin engines 425 HP / HP (2 x 312 Kw)
- Fuel filters
- Sea water filters
- Engine room soundproofed with high density foam (40mm thick)
- Air intake for cooling the engine compartment on the port hull plating
- 1 Extinguisher
- Double fuel tank filling cap
- 2 Aluminium fuel tanks (Capacity = 2 x 965 L / 2 x 255 US Gal) inter-connected and pre-fitted for FPS (Fuel Polishing System) connection system
- Steering system:
  - 2 Underhung rudders stainless steel
  - Hydraulic steering
  - Electric trim tabs
  - Bow thruster

## ELECTRICITY

---

- Electrical panel (12 V / 220 V)
- Shore power socket (220 V)
- 13220V Sockets (1 in the cockpit, 2 in the saloon, 2 in galley, 2 in master cabin, 1 in the VIP cabin, 1 in the 3rd cabin, 1 in the owner head, 1 in the 2nd head), + 2 for TV (Saloon + Owner's cabin)
- 12 USB sockets (2 in the saloon, 2 at the pilot station, 4 in master cabin, 2 in the VIP cabin, 2 in the 3rd cabin)
- 2 double antenna sockets (TNT - SAT)
- 2 12V 140Ah service batteries
- 4 12V 50Ah engine start batteries
- 4 12V 50Ah bow thruster batteries
- 2 Battery chargers 25 Ah
- 1 12 V socket
- Outside and inside lighting (Overhead lights, Reading lights)
- LED indirect lighting
- Outside lighting (Navigation lights, Mooring light with stainless steel mountings)

## PLUMBING

---

- 1 Manual bilge pump (Cockpit)
- 2 Automatic electric bilge pumps
- Water unit for pressurizing the hot / cold water circuit with accumulator tank
- 40 L / 11 US Gal water heater working off engine exchanger and 220 V
- Water tank filler
- 2 Roto moulded water tanks (2 x 320 L / 2 x 85 US Gal)
- Drainage outlet for black water holding tank



## TRIM LEVEL & PACKS

### TRIM LEVEL

	ESSENTIAL	LOUNGE
• 10 Cup holders	■	■
• PVC cockpit seat cushion seashell avalanche	■	■
• Pump for deck washing	■	■
• AMS Web server (Ship control)	■	■
• Additional 144 L fridge (2 drawers), in wheelhouse	■	■
• Pre-wiring for heating	■	■
• Air conditioning pre-arrangement	■	■
• 2 Additional service batteries (140A)	■	■
• Inverter (2 KVA)	■	■
• 2 9" Raymarine interior screens	■	■
• 2 9" Raymarine exterior screens	■	■
• Auto pilot	■	■
• Raymarine VHF	■	■
• Shore freshwater supply		■
• Double station deck searchlight		■
• 40 L refrigerator, on flying bridge		■

### PACKS

#### ELECTRONIC PACK

- 2 12" Raymarine interior screens
- 2 12" Raymarine exterior screens
- AIS receiver system

#### AIR CONDITIONING AND GENERATOR

- Generator (7,5 KVA - 220 V / 50 Hz) + COCON
- Air conditioning (48 000 BTU)

## OPTIONS

### AMBIANCE

- Oak strip version & Brown oak laminated floors
- African Spirit Grey carpet (Wheelhouse + Saloon)
- Dune Berber carpet (Cabins + Passageway)
- Soft Natural carpet (Cockpit)
- Bora Bora upholstery
- Lounge Robust upholstery (Saloon)
- Libra 45 Efficiency @ upholstery (Saloon)
- PVC Nuance White upholstery (Saloon)
- Leather upholstery
- Ultraleather Promessa upholstery
- Hitch Seashell/Avalanche PVC cockpit seat
- Hitch Seashell/Indigo PVC cockpit seat
- Hitch Avalanche/Java PVC cockpit seat
- Exterior upholstery Hitch Avalanche/Indigo PVC
- Exterior upholstery Hitch Avalanche/Java PVC
- Hitch Seashell/Avalanche PVC fore sun deck
- Hitch Avalanche/Indigo PVC fore sun deck
- Hitch Avalanche/Java PVC fore sun deck
- Grey "Perle" hull
- Steel blue hull



## OTHER OPTIONS

---

### INTERIOR LAYOUT

- Wheelhouse bench opposite (as replacement for the cupboards)
- 40 L combined microwave over (as replacement for gas oven)
- 50 L microwave oven on elevator
- Washer / Dryer
- Dishwasher
- 3 burner induction hob (replacing gas stove)
- Refrigerator + Ice maker with 2 drawers in wheelhouse (in place of the refrigerator in the galley)
- Water heating
- Yacht case "Arts de la table"
- TV LED 22" + DVD/MP3 player + B&W Loudspeakers in owner's cabin
- TV LED 32"
- Player DVD + B&W Loudspeakers in the saloon

### WATER SYSTEM

- Water maker 60 l/h / 16 US Gal/hour
- Shore freshwater supply
- Rigid sewage reserve

### ELECTRONIC

- Windvane
- Rear camera
- Thermal imaging camera
- Radar

### EXTERIOR OPTIONS

- Fore canvas sunshade
- Set of flybridge covers (console + bench seat + table)
- Exterior guards: Oyster or Flanelle
  - Aft cockpit closing
  - Flybridge closing
  - Bimini of Flybridge
  - Flybridge dodgers
- Flying bridge T TOP
- Hydraulic gangway
- Hydraulic swim platform
- Aft platform tender mounting
- 10 Cup holders (4 in the cockpit, 6 in flying bridge)
- Black exterior curtains Sunworker (in wheelhouse)
- Double station deck searchlight
- 40 L refrigerator in flying bridge
- Electric flybridge grill
- Teak fore deck and port side deck
- Teak slats on fore flybridge area
- Teak slats on cockpit and starboard side deck

### MISCELLANEOUS ITEMS

- Complete mooring kit:
  - Delta anchor 25 kg,
  - Chain - 12 mm diameter (Length: 85 m)
  - Cable - 18 mm diameter (Length: 20 m)
  - 4 Hawsers - 18 mm diameter (Length: 15 m)
  - 6 Fenders - 250 mm diameter (Length: 700mm)
- Double station stern thruster
- 3rd Control joystick
- Automatic extinguishing system
- Mosquito screens on side door, aft bay and portholes