



GENERAL SPECIFICATIONS

| | | |
|--------------------------------------|---------------------------|---------------|
| • Hull length: | 7,98m | 26'2" |
| • L.O.A (standard): | 8,26m | 27'1" |
| • L.O.A (Maximum - with options) | 9,10m | 29'10" |
| • Overall width: | 2,98m | 9'9" |
| • Beam: | 2,95m | 9'8" |
| • Light displacement without engine: | 3 801kg | 8,377 lbs |
| • Light displacement (EC): | 4 439kg | 9,784 lbs |
| • Air draft: | | |
| - standard: | 2,69m | 8'10" |
| - with options: | 3,30m | 10'10" |
| • Draught min/max: | 0,60 - 0,90m | 2' - 2'11" |
| • Fuel capacity | | |
| - standard: | 2 x 200L | 2 x 53 US Gal |
| - optional extra: | 2 x 300L | 2 x 79 US Gal |
| • Freshwater capacity: | 100L | 26 US Gal |
| • Maximum engine power: | 2 x 186Kw - 2 x 250 HP | 2 x 250 HP |
| • Twin engine shaft length: XL | 635mm | 25' |

ARCHITECTS / DESIGNERS

- Hull development: Bénéteau POWERBOATS
- Designers: SARRAZIN DESIGN

EC CERTIFICATION

- Category B - 4 people
- Category C - 10 people



STANDARD EQUIPMENT

CONSTRUCTION

HULL

- Technology: Air Step®
- Patent: Bénéteau

Composition:

- Sandwich (Polyester resin - Glass fiber - Balsa core)
- White hull
- Winching ring on bow

DECK

Composition:

- Sandwich (Polyester resin - Glass fiber - Balsa core)

DECK EQUIPMENT

- Navigation lights = 1 all-round light on collapsible samson post
- Navigation lights (Port and starboard)

MOORING LINES - MOORING

- Bow fitting
- Self-bailing mooring locker with hatch cover
- Eye bolt to secure mooring
- 2 Foredeck cleats in aluminium, 200 mm / 8"
- 2 Cleats amidships in aluminum, 200 mm / 8"
- 2 Aft cleats in aluminium, 200 mm / 8"

SAFETY ON DECK

- Stainless steel open pulpit
- 2 Stainless steel handrails on the aft wheelhouse uprights
- 1 Stainless steel handrail on the aft fishing station
- 4 Stainless steel handrails on cockpit coamings

COCKPIT

Cockpit dimensions: 1,49m x 2,44m / 4'11" x 8'

Freeboard: 0,82m / 2'8"

- Self-bailing cockpit
- Fishing station with:
 - Engine protective casing
 - Folding cockpit bench seat (Upholstery supplied with the Comfort trim level)
 - Handrails
- 1 Large central locker (Space for cased life-raft)
- 1 Port cockpit locker + 1 Starboard cockpit locker (Gas strut opening)
- Roto-moulded fuel tanks (2 x 200 L / 2 x 53 US Gal) at the bottom of the cockpit compartment, in waterproof and ventilated compartment
- 2 Fuel filler caps on stern deck
- Portside access to sea
- Security door
- Telescopic swimming ladder
- Lighting from 1 ceiling light
- Wide safe sidedecks (26-35 cm / 0'10" x 1'2")
- Benchseat in front of wheelhouse, with 2 Cup holders (Upholstery supplied with the Comfort trim level)
- Cockpit shower

INTERIOR

- PVC Silververtex Ice + Diamante meteor upholstery:
 - Pilot and co-driver bench with bolster function
 - Wheelhouse saloon
 - Forward cabin mattress (optional extra: Mid-cabin mattress)
- Alpi grey cedar joinery
- Brown oak laminated floors

WHEELHOUSE

Dimensions: 1,66 x 1,56m / 5'5" x 5'1"

Headroom: 1,95m / 6'5"

- Wheelhouse with one-piece translucent glass windscreen
- Side windows with translucent glass
- 2 Sliding side access doors for the wheelhouse (Port and starboard)
- Black anodised aluminium frame and lock
- Storage under the floor
- 1 3 door sliding rear bay
- Lighting from 4 ceiling lights
- Saloon (Dimensions: 1,06 x 1,56m / 3'6" x 5'1")
 - Storage space under seating
 - Retractable saloon table
- Access door to the wooden lower deck
- Polyester access door cover

STEERING STATION (TO STARBOARD)

- Hydraulic steering
- Instrument panel with space for 12" + 9" electronics
- 12 function 12 V electrical panel (depending on options)
- Fuel gauge indicator
- Engine instrumentation: Rev counter, Control console, Contact key delivered with pre rigging option
- 2 Electric windscreen wipers
- 12V socket
- Steering wheel
- Pilot and co-driver bench with bolster function
- Pilot and copilot footrest

GALLEY (TO PORT)

- Polyester cover
- Polyester sink
- Cold water mixer tap under pressure (optional extra: Water heater - 25L)
- Fixed 1 hob cooker
- Fridge - 60L (requires Comfort trim level)

FORWARD CABIN

Headroom: 1,65m / 4'11" (Minimum: 0,55m / 1'10")

- Location for additional double berth
 - max: 2m / 6'7" (Beam) x 1,50m / 4'11" (Length)
- Shelving unit
- Storage under berth
- Lighting from 2 ceiling lights

HEAD (STARBOARD)

Headroom: 1,70m / 5'7"

- Lighting from 1 ceiling light
- Ventilation from 1 opening hull porthole
- Marine toilet with 80 L / 21 US Gal sewage tank
- Washbasin
- Shower
- Storage cupboard

MID-CABIN

Headroom: 0,62m / 2'

- optional extra: Mattress for bedding (1,90 x 1,40m / 6'3" x 4'7")
- Shelving unit
- Lighting from 1 ceiling light



ELECTRICITY

- 12 V electrical panel
- 12V socket
- Installation for engine batteries delivered with the pre-rigging or refrigerator (Maximum: 2 batteries not delivered)

PLUMBING

- 1 Manual bilge pump
- 1 Electric bilge pump
- Pressured cold water
- Water filling drain plug
- optional extra: Water heater - 25L

TRIM LEVEL & PACKS

TRIM LEVEL

| | COMFORT | FISHING EDITION "BARRACUDA TOUR" | COMFORT + FISHING EDITION "BARRACUDA TOUR" |
|--|---|--|---|
| <ul style="list-style-type: none"> • 2nd electric wiper + windscreen washer kit • Silvertex Ice + Diamante Meteor upholstery (Swivel aft bench seat + Forward saloon) • Cup holder • Fridge • Cockpit shower • Cockpit table • Mattress in the cabin • Interior curtains • Extended swim platform • Cockpit table • Electric windlass | <ul style="list-style-type: none"> ▪ ▪ ▪ ▪ ▪ ▪ ▪ ▪ ▪ ▪ ▪ | | <ul style="list-style-type: none"> ▪ ▪ ▪ ▪ ▪ ▪ ▪ ▪ ▪ ▪ ▪ |
| <ul style="list-style-type: none"> • Rod holders • Pump for deck washing • Cutting board on aft hatch cover • 5 Stainless steel rod holders on the coachroof • Starboard after water circulation tank • Railblaza kit | | <ul style="list-style-type: none"> ▪ ▪ ▪ ▪ ▪ ▪ | <ul style="list-style-type: none"> ▪ ▪ ▪ ▪ ▪ ▪ |

ELECTRONICS PACKS

ELECTRONIC PACK

- LOWRANCE HDS 9" LIVE Multifunction screen (chart not included)
- LOWRANCE HDI Sensor

ELECTRONIC UPGRADED PACK

- LOWRANCE HDS 12" LIVE Multifunction screen (chart not included)
- LOWRANCE HDI Sensor

SOUND PACK

- Fusion MS-RA70N
- Interior speakers (2 x 50 W)
- Exterior speakers (2 x 50 W)



OPTIONS

INTERIOR ACCOMMODATION / ONBOARD COMFORT

- PVC Mid-cabin mattress Silververtex Ice + Diamante Meteor
- Reversible air condition at dock
- Water heater - 25L
- Electric heating on 220 V
- Diesel heating
- Deck in wheelhouse

EXTERIOR OPTIONS

- Complete mooring kit
- Overhang stemhead with swimming ladder
- Mooring bollard
- Polyester fish tub for cockpit chest
- 1 Sliding cockpit bench seat with cushion
- 2 Foldable side cockpit bench seats with cushion
- Retractable cockpit sun cover
- Teak in cockpit + platforms
- Blue-grey hull

ELECTRICAL SYSTEM

- Electric demister
- 220 V electrical circuit with dock plug + charger
- 4 KVA 220 V / 50 Hz Generator
- Interior + cockpit LED pack
- Deck searchlight
- 2nd deck searchlight

ENGINE

- Bow thruster (battery not delivered)
- Electric trim tabs
- ZipWake automatic trim system
- Fuel tank 2 x 300 L

- Honda mecanic top pre-rigging (2 x 115-250 HP)
- Suzuki mecanic keyless pre-rigging (2 x 115-250 HP)
- Suzuki electronic keyless pre-rigging (2 x 150-250 HP)
- Mercury mecanic top pre-rigging (2 x 150 HP)
- Pre-rigging Mercury Verado (2 x 150-250 HP)
- Yamaha mecanic top pre-rigging (2 x 150 HP)
- Yamaha electronic top pre-rigging (2 x 150-250 HP)

NAVIGATION ELECTRONICS

- VHF
- Broadband 4G Lowrance Radar