

Provisional Specifications - Europe

GENERAL SPECIFICATIONS**

| L.O.A*: Hull length: Overall width: Beam: Light displacement (EC): Air draft: | 16,33m 14,32m 4,62m 4,57m 14 988kg | 53'7" 47' 15'2" 15' 33,034 lbs |
|--|--|--|
| - max: | 7,22m | 23'8" |
| without T-Top: | 5,91m | 19'5" |
| Draught (max): | 1,20m | 3'11" |
| Fuel capacity: | 2 x 650L | 2 x 172 US Gal |
| Freshwater capacity: | 2 x 200L | 2 x 53 US Gal |
| Maximum engine power: | 2 x 320Kw - | |
| | 2 x 435 HP | 2 x 435 HP |
| Max engine certification: | 2 x 320Kw - | |
| | 2 x 435 HP | 2 x 435 HP |

^{* (}with aft swimming platform)


ARCHITECTS / DESIGNERS _____

- Naval Architect: MICADDesign: Nuvolari & Lenard
- Interior accommodation: Andreani Design

EC CERTIFICATION**

- Category B 12 people
- Category C 12 people
 Category D 12 people









^{**} Provisional specifications, boat in process of certification.



Provisional Specifications - Europe

STANDARD EQUIPMENT

CONSTRUCTION

HULL

Composition:

- · White gelcoat 9010
- · Sandwich (Polyester resin Glass fiber Balsa core)
- Structural hull counter moulding in monolithic laminate (Polyester resin - Glass fiber)
- · Moulding by infusion
- 7 Opening portholes (fitted with Venetian blinds)

DECK

Composition:

- · White gelcoat 9010
- · Sandwich (Polyester resin Glass fiber Balsa core)
- Structural hull counter moulding in monolithic laminate (Polyester resin - Glass fiber)
- Moulding by infusion
- · Diamond tip type non-slip covering

DECK EQUIPMENT____

- · Radar support in stainless steel
- Navigation lights
- LED courtesy lighting (catwalks, steps and stern deck)

MOORING LINES - MOORING

- · Bow fitting
- Electric windlass 24V, Power 2 000 W
- Remote control in mooring locker + windlass control from wheelhouse and flying bridge steering stations
- 2 Mooring lockers
- 2 Forward cleats, 2 central and 4 aft in stainless steel
- 2 Stainless steel fairleads to aft of cockpit

SAFETY ON DECK

- · Stainless steel Half open pulpit with teak step and hand rail
- Stainless steel pulpit surrounding all flybridge
- 4 Stainless steel handrails on access to side decks steps
- 1 Hand rail on aft transom

DECK

- · 3 cup holders
- · 1 Opening deck hatch, 1 Fixed hatch

FLYBRIDGE

- · Grey tinted windscreen
- Steering console with: Steering compass, Steering wheel, Electrical engine controls, Fuel gauge, 12V socket, IPS joystick
- Controls for windlass, lighting, navigation lights, Bilge pumps
- Adjustable pilot seat
- 2 Cupholders & stowage
- Two-seat co-pilot saloon on starboard side and 2 cup holders
- 6-person saloon with 3-place face-to-face bench seat
- Natural Solid wood folding table, with 4 integrated cup holders
- Galley unit: Sink hot/cold, Place for electric grill (option), Storage, Bin.

Plain solid wood doors + 2 Cup holders

- · Radar support, 9010 white polyester aerials and lights
- · LED courtesy lighting
- PVC MARLIN BRILLIANT WHITE upholstery, Open cell foam

COCKPIT

- Gate access (Starboard)
- · 6 persons saloon
- PVC MARLIN BRILLIANT WHITE upholstery, Open cell foam
- · Access hatch to engine compartment
- Access hatch to large storage locker (standard) or crew cabin (option)
- Cockpit shower (with Hot/cold water mixer tap)
- · Access stairway to flybridge, Built-in storage locker
- Natural teak decked swimming platform, black joints
- Retractable ladder in swimming platform with solid wood steps and stainless steel handrails
- Direct and indirect lighting LED

INTERIOR

- Choice of woodwork: Alpi Matt finish walnut (standard) or Alpi brushed Oak (option)
- · Brown oak laminated floors, in galley, in lounge, in cabins
- · Natural teak flooring in the head compartments, black joints

WHEELHOUSE

Headroom: 1,92m / 6'4"

- · Mirror tinted glass Bay window
- Curtain
- Metallic grey Venetian blinds
- Direct and indirect lighting LED
- Port electric switchboard in companionway (24V/220V)

STEERING STATION

- · Single piece windscreen
- Mirror tinted side windows
- · 2 Windscreen wipers with washers
- Demisting system
- · Double driver and co-driver bench seat
- · Storage drawer under bench seat
- Black laguered dashboard
- Volvo EVC screen (with additional software as an option)
- · Volvo throttle & controls
- IPS joystick
- Steering compass
- Functional controls: Windscreen wipers, Demister, Fog horn, Navigation lights, Windlass
- Valet tray
- · Space for 2 multifunction 16" screens
- 1 12 V Socket

SALOON

Headroom: 1,92m / 6'4"

- 4-6 seater sofa upholstered in "Bolt Alabaster" fabric
- 2 places facing sofa, upholstery "Bolt Alabaster" fabric
- · Textured and laquered folding wooden table
- Location for 40" LED television, Fusion speakers (optional extra: Bose speakers)
- 1 220 V Socket, 2 USB sockets
- 3 Storage lockers (to port)

GALLEY

Headroom: 2m / 6'7"

- · Stainless steel sink with mixer tap
- 3 burner induction hob
- · Corian Dune Prima countertop
- Fridge-freezer (215L / 57 US Gal)
- · Cutlery & glasses storage
- Double dustbin
- · Lacquer finished furniture
- · 2 Cupboards with storage baskets
- Microwave oven (40L / 11 US Gal)
- 2 220 V Sockets



Provisional Specifications - Europe

OWNER'S CABIN (AFT)

Headroom: 1,90m / 6'3'

- · Full beam stateroom
- Double berth (1,90m x 1,60m / 6'3" x 5'3")
- · Marine mattress with bed base
- · Padded headboard
- · 2 Bedside tables with drawer
- 1 Separate walk-in wardrobe
- · Direct and indirect lighting LED
- 2 220 V Sockets
- 2 Panoramic portholes in the hull with integrated opening portholes, fitted with metallic grey Venetian blinds
 Space for 32" LED TV (option)
- · Storage cupboards (Port and starboard)
- · 2 Drawers under the bed
- Desk or dressing table
- · 5 USB charging sockets

OWNER'S HEAD COMPARTMENT

Headroom: 1.90m / 6'3"

- TECMA electric toilet + Shared rigid tank (120L / 32 US Gal)
- · Separated shower stall with stainless steel profiled doors
- · Shower with mixer tap
- · Teck decked flooring, black joints
- · Basin with recessed mixer tap
- Mirror and storage space
- Automatic shower water drainage (by gravity, towards a reserve plug 50L / 13 US Gal)
- 1 220 V Socket
- · Opening hull porthole with metallic grey Venetian blind

VIP CABIN (FORWARD)

Headroom: 1,93m / 6'4'

- 1 Double berth (1,90m x 1,50m / 6'3" x 4'11") or two simple beds (sliding system)
- · Marine mattress with bed base
- · Padded headboard
- · 2 Opening hull portholes with metallic grey Venetian blinds
- Long natural light wells, with opening deck hatch, fitted blinds and mosquito screen
- 2 Illuminated wardrobes with hanging locker and shelving
- Mirror
- Storage
- 2 220 V Sockets
- · Direct and indirect lighting LED
- 4 USB charging sockets

VIP HEAD COMPARTMENT

Headroom: 1,95m / 6'5"

- TECMA electric toilet + Shared rigid tank (120L / 32 US Gal)
- Separated shower stall with stainless steel profiled doors
- Shower with mixer tap
- · Basin with recessed mixer tap
- · Mirror and storage space
- Automatic shower water drainage (by gravity, towards a reserve plug 50L / 13 US Gal)
- 1 Opening hull porthole with metallic grey Venetian blind
- · 1 Light wells
- 1 Towel rail
- 1 220 V Socket

GUEST CABIN (SIDE)

Headroom: 1,98m / 6'6"

- 2 Single beds (1,90m x 0,70m / 6'3" x 2'4") or 1 double berth
- · Marine mattresses
- · Padded headboards
- · 1 Opening hull porthole with metallic grey Venetian blind
- · 1 Bed head with drawer and reading light
- 1 Hanging locker with lighting and mirror
- 1 220 V Socket
- 2 USB charging sockets



Provisional Specifications - Europe

ENGINE

Pods propulsion:

- Volvo 2 x IPS 600 2 x D6 435 CV/HP Diesel (2 x 320Kw) EVC-E
- · Fuel filter with decanter
- · Seawater filter
- · Air intakes on the deck for engine compartment cooling
- · Hot air extraction forced by electric ventilators
- · Engine room foam soundproofed
- Fire extinguishing system activated from the steering station (Wheelhouse & Flybridge)
- · Stainless steel fuel filler
- 2 x 650 L / 172 US Gal Aluminium fuel tanks

Steering system:

- · Electric steering
- · 2 Drives with counter rotative propellers ("Jackshaft")
- IPS control joystick (Wheelhouse & Flybridge)

Softs Volvo:

- · Trip computer
- · Cruise control
- Single lever
- · Low speed

ELECTRICITY _

- 24 V 220 V Electrical panel
- 8 12 V batteries (4 Engine batteries: 50 Ah + 4 Service batteries: 140 Ah)
- Radio-controlled wireless switches (without battery)
- 1 63 Ah 230 V/50 Hz shore power socket with 15 m cable (or 2 220 V/60 Hz shore power sockets according to country)
- 2 Bilge pumps: 2 Electric pumps
- 1 Extinguisher
- Inverter: 24V / 12V
- · Power distributor
- · Battery charger: 24V 60 Ah
- 220V Sockets: in saloon, galley, heads and cabinsUSB sockets: in saloon, galley, heads and cabins
- 12V socket on Steering stations (Wheelhouse and Flybridge)
- Direct and indirect lighting LED (internal and external)

PLUMBING

- 2 Roto moulded water tanks, 2 x 200 L / 2 x 53 US Gal capacity of
- · Stainless steel water filler
- Water pump for pressurising hot/cold water system
- 60 L / 16 US Gal water heater working off engine exchanger (220V)
- · Solenoid valve for transfer between the 2 tanks



Provisional Specifications - Europe

TRIM LEVEL & PACKS

TRIM LEVEL _____

| | ESSENTIAL | COMFORT | LOUNGE |
|---|-----------|---------|--------|
| Ship control + Battery isolation switch remote control | • | • | • |
| Atoll audio system with Fusion speakers in the saloon, in the cockpit, in flying bridge | • | • | • |
| 16" Multifunction screen (Garmin GPS MAP 8416 XSV) in wheelhouse | • | • | |
| 12" Multifunction screen (Garmin GPS MAP 8412 XSV) in flying bridge | • | • | • |
| Autopilot | • | • | |
| Garmin AIS | | | |
| Garmin dual station VHF | • | • | • |
| 65 L / 17 US Gal refrigerator in flying bridge | | • | • |
| Manually opening windows (Port and starboard) | | - | • |
| Natural teak decked flooring in cockpit and galley, black joints | | - | |
| Yacht Case - Tableware | | | |
| 2 sets of Monte Carlo bath linen | | • | • |
| Hydraulic swim platform | | | • |
| Dinghy craddle integrated to the platform | | | |
| Bow thruster station dual | | | • |
| 11 kVA Generator | | | |
| ZIPWAKE automatic trim system | | | • |

PACKS___

ELECTRONICS PACKS

- · Rear camera
- · Garmin Fantom Radar
- · Additional 16" Garmin multi-function screen in wheelhouse
- · Additional 12" Garmin multi-function screen in flying bridge

OPTIONS

AMBIANCE _

- · Brushed oak version and brown oak laminated floor
- · Flooring of cockpit and galley made from synthetic teak decking, grey joints
- · Natural teak flooring, black joints in the saloon & at the pilot station
- Synthetic teak flooring, grey joints in the saloon & at the pilot station
 "Ivory" carpet in the saloon & in cabins
- "Dune" carpet in the saloon & in cabins
- "Bolt Alabaster" unpholstery in the saloon
- "Bolt Oyster" unpholstery in the saloon Ultraleather "Champagne" upholstery in the saloon
- Leather upholstery (Foglizzo) in the saloon
- Nubuck upholstery (Foglizzo) in the saloon
- · Extra-wide double driver's bench seat with arm rests
- Silvertex ICE / MACADAMIA outside upholstery
- · Sunbrella Tundra outside upholstery
- Marlin Brilliant White forward sun mattress
- Silvertex ICE / MACADAMIA forward sun mattress
- · Tundra forward sun mattress
- Marlin Brilliant White port cockpit seat
- Silvertex ICE / MACADAMIA port cockpit seat
- · Tundra port cockpit seat
- · Grey and white hull
- · Blue-grey and white hull
- · Metallic hull paint



Provisional Specifications - Europe

OPTIONAL LAYOUT VERSIONS

CREW CABIN (accessible from the swim platform)

Headroom: 1,63m / 5'4"

- Single bed (1,90m x 0,65m / 6'3" x 2'2")
- Toilet TECMA
- · Basin with hot and cold water mixer tap under pressure
- 1 Opening porthole
- · Storage for fenders

OTHER OPTIONS

INTERIOR LAYOUT

- Fridge + Ice maker + 3 drawer freezer (2 drawer fridge, 1 freezer/ ice-maker drawer)
- · Extractor hood in galley
- · Dishwasher for 6 sets
- Washer dryer
- · Chilled water Mediterranean air conditioning 48 000 BTU (in wheelhouse: 24 kBTU, in the owner owner's cabin and the head compartment: 12 kBTU, in the VIP cabin and guest cabin: 12 kBTU); Distribution by ceilings
- Chilled water Tropical air conditioning 60 000 BTU (in wheelhouse: 24 kBTU, in the owner owner's cabin and the head compartment: 18 kBTU, in the VIP cabin and guest cabin: 18 kBTU); Distribution by ceilings
- 6 kBTU air conditioning in the marine cabin
- Extra Tropicale chilled water air conditioning 72 000 BTU (in wheelhouse: 24 kBTU, in the owner owner's cabin and the head compartment: 24 kBTU, in the VIP cabin and guest cabin: 24 kBTU); Distribution by ceilings
- 6 kBTU air conditioning in the marine cabin
- Heating (water system)
- · Heating in the marine cabin
- · Central vacuum system
- TV 40" in saloon
- TV 32" in master cabin + BOSE Loudspeakers
- TV 22" in the forward cabin + Fusion Loudspeakers
- · Mosquito screens (cabins & aft window door)
- Bose 2.1 Loudspeakers in the saloon

EXTERIOR OPTIONS

- Mooring kit: Delta achor 25 kg + Chain (12mm diameter; length 50 m) + Line (22mm diameter; length 50 m) + 4 Moorings lines (18mm diameter; length 15 m) + 6 Fenders (250mm diameter; length 0,7 m)
- Electric awning
- · Aft cockpit closing Graphite
- · Outside wheelhouse curtains in "sunworker" black
- · Protective cases
- · Flybridge bimini Graphite with Built-in LED lighting
- 9010 white polyester T-top
- · Metallic grey lacquered polyester T-top
- · Metallic grey painted flybridge arch
- · Galley unit on transom: "Kenyon" electric grill, Sink hot/cold, Work top, Lighting
- · Integrated hydraulic gangway
- · Cockpit table convertible into sun-bathing area
- "Kenyon" electric grill in flying bridge
- · Convertible sun deck in flying bridge

ELECTRICAL SYSTEM

- Inverter (2 KVA)
- · Flybridge searchlight
- Underwater lights

WATER SYSTEM

- · Deck wash pump
- · Shore fresh water supply

ENGINE - NAVIGATION INSTRUMENTS

- · 3rd control joystick in the cockpit
- Seekeaper NG6 gyroscopic stabiliser

ELECTRONICS

- · Rear camera
- · Engine compartment camera
- · Dummy satellite antenna