



BENETEAU

FIRST 44

Boat EC certification in process
 This boat shall not be sold or used before ending its EC certification process

Code	Description		Inkl. 25% moms
VERSIONS			
PROPULSION			
*1 1XA1	FIRST 44 - YANMAR 4JH57 CR SD 42KW(57HP) DIESEL Anodized aluminum classical mast tapered, 2 Aft swept spreaders Polyester bowsprit, 1m / 3'3" 2 H46.2 STA manual self-tailing manoeuvre winches at helm stations 2 H50.2 STA manual self-tailing genoa winches at helm stations		3 447.656
*1 1XA1R	FIRST 44 PERFORMANCE - YANMAR 4JH57 CR SD 42KW(57HP) DIESEL Anodized aluminum classical mast tapered, 2 Aft swept spreaders Carbon bowsprit, 1,50m / 4'11" Mainsail Cunningham Mainsail traveller at bottom of cockpit 2nd genoa halyard Harken Carbo racing dual-groove head foil 8:1 barber hauler DOWNWIND Pack (2 Harken Black Magic blocks for spinnaker/ code 0 sheet, 1 Harken Black Magic block for spinnaker tack led back to the dedicated cleat in the cockpit, Dyneema halyard sheave with block for spinnaker or code 0, 1 Dyneema halyard for spinnaker, Barber hauler with blocks and chainplate on bulwark, Short sheet pad eye) 1 Wichard double chainplate on forward deck for removable forestay, 1 Dyneema halyard sheave with block for staysail Cockpit sole, benches, platform with synthetic foam coating (light grey color) White gel-coat, Aluminum grey hull decoration, white decoration film layer on cabins hull porthole 2 H50.2 STP Harken Performa manual manoeuvre winches on the roof + 3 clutches on port and starboard roof 2 H60.2 STP Harken Performa manual genoa winches behind cockpit benches 2 H60.2 STP Harken Performa manual Spinnaker winches (for manoeuvring: main sail sheet, adjustment of Genoa sail carriage-staysail sheet - - downhaul - foot of main sail + reef 1&2 and for spinnaker sheets - spinnaker tack - barber hauler) Dual textile lifelines 1 200Ah Lithium batteries to replace the AGM batteries	#	3 841.406
LEST			
*2 220	DEEP CAST IRON KEEL		Standard
*2 240	VERY DEEP IRON-LEAD DRAUGHT		184.078
LAYOUT			
*3 3FIG	3 CABINS 2 HEADS VERSION - TEAK ALPI		Standard
OTHER VERSIONS			
*4 4AM2	ALUMINIUM MAST VERSION		Standard
UPHOLSTERY			
*5 50001	LOUNGE FALCON 162 UPHOLSTERY IN SALOON		Standard
*5 50021	LOUNGE GREIGE 160 UPHOLSTERY IN SALOON		8.367
*5 50020	LOUNGE MEGA RABBIT 160 UPHOLSTERY IN SALOON		8.367
*5 50051	PELICAN ULTRALEATHER UPHOLSTERY IN SALOON		35.930
*5 50050	STONE ULTRALEATHER UPHOLSTERY IN SALOON		35.930
*5 50060	LEATHER UPHOLSTERY IN SALOON - DK45 TAUPE		73.828
*5 50070	NUBUCK UPHOLSTERY IN SALOON - LG13 CHOCOLAT		113.203
TRIM LEVEL			

	COMFORT TRIM LEVEL (FOR FIRST 44)			
-F	9EA1	Coastal Pack (GARMIN) Windlass control in cockpit with chain counter HiFi: Fusion RA210 + 2 Interior loudspeakers & 2 Waterproof exterior speakers Induction charging station for smartphones at the chart table Cabins: Mosquito nets for opening portholes LED indirect lighting Navicolor 3.5" screen, Battery charge display IBS sensor 2 Additional ancillary AGM batteries 12V 100 A	#	242.051
	LUXE TRIM LEVEL (FOR FIRST 44)			
-F	9EA2	Offshore Pack (GARMIN) Windlass control in cockpit with chain counter HiFi: Fusion RA210 + 2 Interior loudspeakers & 2 Waterproof exterior speakers Induction charging station for smartphones at the chart table Cabins: Mosquito nets for opening portholes LED indirect lighting Navicolor 3.5" screen, Battery charge display IBS sensor 2 Additional ancillary AGM batteries 12V 100 A 1 Solid wood cockpit table on stainless steel pedestal, 2 extension leaves, 1 opened central storage + Protective cover (Cadet Grey) Electrical engine control on the starboard console	#	409.395
PACKS				
-P	AV01	SELF-TACKING JIB RIGGING PACK (FOR FIRST 44) Self-tacking jib hardware (sheet only) - 3 Blocks 1 Self-tacking jib track with traveller	#	22.113
-P	AV03	CARBON MAST SAILS PACK - NORTH SAILS (FOR FIRST 44) Full batten mainsail and Genoa, NPL tour, dark grey Charcoal Grey lazy bag		260.678
-P	AV03A	ALUMINIUM SAILS MAST PACK - NORTH SAILS (FOR FIRST 44) Full batten mainsail and Genoa, NPL tour, dark grey Charcoal Grey lazy bag		235.975
-P	AV03B	ALUMINIUM SAILS MAST PACK -NORTH SAILS (FOR FIRST 44-FURLER) for manual genoa furler below deck Full batten mainsail and Genoa, NPL tour, dark grey Charcoal Grey lazy bag		230.895
-P	AV03D	CARBON MAST SAILS PACK - NORTH SAILS (FOR FIRST 44) for manual genoa furler below deck Full batten mainsail and Genoa, NPL tour, dark grey Charcoal Grey lazy bag		254.801
-P	AV04	STAYSAIL RIGGING PACK (FOR FIRST 44) Wichard double chainplate on forward deck for removable forestay 1 Dyneema halyard sheave with block for staysail	#	18.129
-P	A32	DOWNWIND PACK (FOR FIRST 44) 2 HARKEN Black Magic blocks for spinnaker/code 0 sheet 1 HARKEN Black Magic block for spinnaker tack led back to the dedicated cleat in the cockpit 1 Dyneema halyard sheave with block for spinnaker or code 0 Barber hauler (Chain plate on bulwark)	#	51.797
-P	BBEPA	BLACK EDITION PACK (FOR FIRST 44 PERFORMANCE) 6 Black anodised aluminum mooring cleats (Length: 0,40m / 1'4") Black lacquered stainless steel pulpits, handrails, stanchions Textile lifelines without side boarding gates		46.219
-P	BBE0A	BLACK EDITION PACK (FOR FIRST 44) 6 Black anodised aluminum mooring cleats (Length: 0,40m / 1'4") Black lacquered stainless steel pulpits, handrails, stanchions Textile lifelines with side boarding gates	#	46.219

-P	BBE0B	BLACK EDITION PACK (FOR GENOA FURLER BELOW DECK OPTION) 6 Black anodised aluminum mooring cleats (Length: 0,40m / 1'4") Black lacquered stainless steel pulpits, handrails, stanchions Textile lifelines with side boarding gates	#	46.219
-P	M10	MOORING-ANCHORING PACK (FOR FIRST 44) Delta 20 kg/44 lbs anchor (galvanized steel) Chain (Diameter: 10mm / 3/8" - Length: 32m / 105') Line (Diameter: 18mm / 11/16" - Length: 45m / 147') 6 Fenders: - 4 XL (Diameter: 300mm / 12" - Length: 880mm / 2'11") - 2 L (Diameter: 250mm / 10" - Length: 700mm / 2'4") 4 Moorings lines (Diameter: 18mm / 11/16" - Length: 15m / 49'3")	#	17.432
-P	R9EA	COASTAL PACK - GARMIN (FOR FIRST 44) Port and starboard helm stations: - Steering console - 1 12" GPS Map 1223 multi-function touchscreen (GPS, Chart plotter, Card reader - Bluechart G3 cartography included) Wind Sensor gWind Race - pole 1m / 3'3":Windvane, Anenometer Airmar DST810 Sensor (Log, Speedometer, Temperature) PC interface (GND10) Fixed 315i VHF at chart table, without AIS receiver function Windex Windvane Protective covers for helm & consoles (Charcoal Grey)	#	173.918
-P	R9EB	OFFSHORE PACK - GARMIN (FOR FIRST 44) = Coastal Pack: Port and starboard helm stations: - Steering console - 1 12" GPS Map 1223 multi-function touchscreen (GPS, Chart plotter, Card reader - Bluechart G3 cartography included) Wind Sensor gWind Race - pole 1m / 3'3":Windvane, Anenometer Airmar DST810 Sensor (Log, Speedometer, Temperature) PC interface (GND10) Fixed 315i VHF at chart table, without AIS receiver function Windex Windvane Protective covers for helm & consoles (Charcoal Grey) + Reactor 40 Pilot with GHC 50 control on port console (LS40 hydraulic arm) Wireless autopilot remote control GARMIN Quatix 7 connected watch	#	248.924
-P	R9EC	FASTNET PACK - GARMIN (FOR FIRST 44) 3 GNX120 7" mast screens + mast bracket + cover 800 AIS GHS11 VHF Wired handset at starboard helm station	#	71.420
-P	R9ED	PERFORMANCE PACK - GARMIN (FOR FIRST 44 PERFORMANCE) (without console at helm station) 3 GNX120 7" mast screens + mast bracket + cover 800 AIS GARMIN Quatix 7 connected watch Wind Sensor gWind Race - pole 1m / 3'3": Windvane, Anenometer PC interface (GND10) Fixed 315i VHF at chart table, without AIS receiver function GHS11 VHF Wired handset at starboard helm station Windex Windvane Protective covers for steering wheels (Charcoal Grey)		153.797
OPTIONS				
RUNNING RIGGING				
AC	F21C	HYDRAULIC UNIT FOR CARBON MAST - TEXTILE BACKSTAY		89.848
AC	F23	HYDRAULIC UNIT FOR ALUMINIUM MAST - TEXTILE BACKSTAY		97.717
STANDING RIGGING				
AD	C03	MANUAL GENOA FURLER BELOW DECK (FOR CARBON MAST)	#	27.044
AD	C05	MANUAL GENOA FURLER BELOW DECK (FOR ALUMINIUM MAST)	#	27.044
MAST - BOOM - POLE				
AM	A02	BLACK PAINTED CLASSIC MAST		135.568
AM	E15MN	PARK AVENUE BOOM - BLACK LACQUERED (FOR FIRST 44)		130.588
RUNNING RIGGING				
AU	W02A	2 MANUAL H60.2STA GENOA SHEET WINCHES IN LIEU OF H50.2STA		21.715
AU	W11	PERFORMA ELECTRIC GENOA WINCHES H60.2STPEH/60.2STP	#	75.902

AU	W11A	ELECTRIC GENOA WINCHES H60.2STAEH/H50.2STA		100.107
AU	W71	ELECTRIC PORTSIDE HALYARD WINCH H50.2 STAEH/H46.2 STA		46.617
AU	W91	ELECTRIC STARBOARD HALYARD WINCH H50.2 STAEH/H46.2 STA	#	46.617
SAILS				
AV	H21	CODE 0 WITH FURLING SYSTEM-NORTH SAILS XI06TF1 -FOR ALU MAST		103.992
AV	H21CA	CODE 0 WITH FURLING SYSTEM-NORTH SAILS XI06TF1 -FOR CARBON M		122.520
EXTERIOR LAYOUT				
BE	C0240	COACHROOF SPRAYHOOD - CHARCOAL GREY (FOR FIRST 44)	#	58.471
BE	IL140	COCKPIT BIMINI - CHARCOAL GREY (FOR FIRST 44)	#	24.006
BE	P22	FOLDING POLYESTER GANGWAY		29.783
BE	P23	ELECTRICALLY OPENING BATHING PLATFORM + REMOTE CONTROL		31.078
BE	S20	OUTBOARD ENGINE BRACKET		2.072
BE	V12	ELECTRIC INFLATOR/DEFLATOR FOR TENDER		5.777
EXTERIOR CUSHIONS				
BS	C050V	DOLCE 51 OUTSIDE UPHOLSTERY (FOR FIRST 44)	#	39.146
BS	C051G	TERRY BEIGE OUTSIDE UPHOLSTERY (FOR FIRST 44)	#	45.023
STEERING SYSTEMS				
D0	A0813	2 WHITE COMPOSITE STEERING WHEELS		1.873
D0	P02	RETRACTABLE BOW THRUSTER		124.014
EXTERIOR WATER CIRCUIT				
EE	B05	DOCK WATER INLET		5.827
INTERIOR WATER CIRCUIT				
EI	B13	SEA WATER ELECTRIC PUMP IN GALLEY (FOR FIRST 44)		4.801
EI	H01T	EXTRA WATER TANK (200 L / 53 US GAL) (FOR FIRST 44)	#	9.264
NAVIGATION LIGHTS				
FN	B11A	LED SPREADER LIGHTING (ANODISED MAST) (FOR FIRST 44)		14.742
FN	B11B	LED SPREADER LIGHTING (BLACK PAINTED MAST) - (FOR FIRST 44)		19.225
FN	B11C	LED SPREADER LIGHTING (CARBON MAST) (FOR FIRST 44)		14.742
GAS CIRCUIT AND ACCESSORIES				
G0	F04	3 STAINLESS STEEL BURNERS OVEN AND GRILL		11.903
HEATING AND AIR CONDITIONNING SYSTEMS				
IC	DBNGG	AIR CONDITIONING - 16 000 BTU (SALOON - FORWARD CABIN)		93.035
INTERIOR EQUIPMENT				
II	CA001	DOUBLE BERTH IN SALOON - LOUNGE GREIGE 160 (FOR FIRST 44)	#	40.939
II	CA020	DOUBLE BERTH IN SALOON - LOUNGE MEGA RABBIT 160 -FOR FIRST44		40.939
II	CA021	DOUBLE BERTH IN SALOON - LOUNGE FALCON 162 -FIRST44		40.939
II	CA050	DOUBLE BERTH IN SALOON - ULTRALEATHER STONE -FIRST44		44.227
II	CA051	DOUBLE BERTH IN SALOON - ULTRALEATHER PELICAN -FIRST44		44.227
II	CA060	DOUBLE BERTH IN SALOON - LEATHER - DK45 TAUPE -FIRST44		52.992
II	CA070	DOUBLE BERTH IN SALOON - NUBUCK - LG13 CHOCOLAT -FIRST44		58.969
II	C63	LEE CLOTH IN SALOON AND AFT CABINS - FIRST 44	#	15.141
CUSHIONS				
IS	C0302	SPRING MATTRESS FOR THE OWNER CABIN (FOR FIRST 44)		6.574
TOILETS				
IT	LO01	TECMA ELECTRIC FRESH WATER/SEA WATER WC IN THE OWNER'S HEAD		15.838
IT	LP06	ELECTRIC TOILET QUIET FLUSH - PORTSIDE AFT- SEA/FRESH WATER		12.899
ELECTRICAL CIRCUIT				
ME	B30	2 LITHIUM BATTERIES TO REPLACE AGM BATTERIES IN TRIM LEVEL		60.463
ME	C50	INVERTER 12-230V 2000VA		40.541
HULL STRUCTURE				
PB	C01	WHITE HULL STD		Standard
PB	C22	PEARL GREY HULL (HULL ONLY) (FOR FIRST 44)	#	32.074
DOCUMENTS & PLATES				
RD	A05	COMPOSITE FLAGSTAFF		9.015
NAVIGATION INSTRUMENTS				
RN	B24	RADAR GARMIN FANTOM18X - WHITE (FOR FIRST 44)		48.211
RN	B24N	RADAR GARMIN FANTOM18X - BLACK (FOR FIRST 44)		48.211
RN	EE4I	MULTIFONCTION SCREEN 12" GPS MAP 1223 GARMIN - CHART TABLE		39.346
RN	R01G2	AIS 800 - GARMIN (FOR FIRST 44)	#	19.025
RN	S31	GARMIN PANOTIX - (UNDERWATER VISION)		22.661

INCOMPATIBILITY - OBLIGATIONS

- *1 1XA1R FIRST 44 PERFORMANCE - YANMAR 4JH57 CR SD 42KW(57HP) DIESEL NOT COMPATIBLE WITH -F 9EA1 COMFORT TRIM LEVEL (FOR FIRST 44)
- *1 1XA1R FIRST 44 PERFORMANCE - YANMAR 4JH57 CR SD 42KW(57HP) DIESEL NOT COMPATIBLE WITH -F 9EA2 LUXE TRIM LEVEL (FOR FIRST 44)
- *1 1XA1R FIRST 44 PERFORMANCE - YANMAR 4JH57 CR SD 42KW(57HP) DIESEL NOT COMPATIBLE WITH -P AV01 SELF-TACKING JIB RIGGING PACK (FOR FIRST 44)
- *1 1XA1R FIRST 44 PERFORMANCE - YANMAR 4JH57 CR SD 42KW(57HP) DIESEL NOT COMPATIBLE WITH -P AV04 STAYSAIL RIGGING PACK (FOR FIRST 44)
- *1 1XA1R FIRST 44 PERFORMANCE - YANMAR 4JH57 CR SD 42KW(57HP) DIESEL NOT COMPATIBLE WITH -P A32 DOWNWIND PACK (FOR FIRST 44)

*1 1XA1R FIRST 44 PERFORMANCE - YANMAR 4JH57 CR SD 42KW(57HP) DIESEL NOT COMPATIBLE WITH -P BBE0A BLACK EDITION PACK (FOR FIRST 44)

*1 1XA1R FIRST 44 PERFORMANCE - YANMAR 4JH57 CR SD 42KW(57HP) DIESEL NOT COMPATIBLE WITH -P BBE0B BLACK EDITION PACK (FOR GENOA FURLER BELOW DECK OPTION)

*1 1XA1R FIRST 44 PERFORMANCE - YANMAR 4JH57 CR SD 42KW(57HP) DIESEL NOT COMPATIBLE WITH -P M10 MOORING-ANCHORING PACK (FOR FIRST 44)

*1 1XA1R FIRST 44 PERFORMANCE - YANMAR 4JH57 CR SD 42KW(57HP) DIESEL NOT COMPATIBLE WITH -P R9EA COASTAL PACK - GARMIN (FOR FIRST 44)

*1 1XA1R FIRST 44 PERFORMANCE - YANMAR 4JH57 CR SD 42KW(57HP) DIESEL NOT COMPATIBLE WITH -P R9EB OFFSHORE PACK - GARMIN (FOR FIRST 44)

*1 1XA1R FIRST 44 PERFORMANCE - YANMAR 4JH57 CR SD 42KW(57HP) DIESEL NOT COMPATIBLE WITH -P R9EC FASTNET PACK - GARMIN (FOR FIRST 44)

*1 1XA1R FIRST 44 PERFORMANCE - YANMAR 4JH57 CR SD 42KW(57HP) DIESEL NOT COMPATIBLE WITH AD C03 MANUAL GENOA FURLER BELOW DECK (FOR CARBON MAST)

*1 1XA1R FIRST 44 PERFORMANCE - YANMAR 4JH57 CR SD 42KW(57HP) DIESEL NOT COMPATIBLE WITH AD C05 MANUAL GENOA FURLER BELOW DECK (FOR ALUMINIUM MAST)

*1 1XA1R FIRST 44 PERFORMANCE - YANMAR 4JH57 CR SD 42KW(57HP) DIESEL NOT COMPATIBLE WITH AU W91 ELECTRIC STARBOARD HALYARD WINCH H50.2 STAEH/H46.2 STA

*1 1XA1R FIRST 44 PERFORMANCE - YANMAR 4JH57 CR SD 42KW(57HP) DIESEL NOT COMPATIBLE WITH BE C0240 COACHROOF SPRAYHOOD - CHARCOAL GREY (FOR FIRST 44)

*1 1XA1R FIRST 44 PERFORMANCE - YANMAR 4JH57 CR SD 42KW(57HP) DIESEL NOT COMPATIBLE WITH BE IL140 COCKPIT BIMINI - CHARCOAL GREY (FOR FIRST 44)

*1 1XA1R FIRST 44 PERFORMANCE - YANMAR 4JH57 CR SD 42KW(57HP) DIESEL NOT COMPATIBLE WITH BS C050V DOLCE 51 OUTSIDE UPHOLSTERY (FOR FIRST 44)

*1 1XA1R FIRST 44 PERFORMANCE - YANMAR 4JH57 CR SD 42KW(57HP) DIESEL NOT COMPATIBLE WITH BS C051G TERRY BEIGE OUTSIDE UPHOLSTERY (FOR FIRST 44)

*1 1XA1R FIRST 44 PERFORMANCE - YANMAR 4JH57 CR SD 42KW(57HP) DIESEL NOT COMPATIBLE WITH EI H01T EXTRA WATER TANK (200 L / 53 US GAL) (FOR FIRST 44)

*1 1XA1R FIRST 44 PERFORMANCE - YANMAR 4JH57 CR SD 42KW(57HP) DIESEL NOT COMPATIBLE WITH II CA001 DOUBLE BERTH IN SALOON - LOUNGE GREIGE 160 (FOR FIRST 44)

*1 1XA1R FIRST 44 PERFORMANCE - YANMAR 4JH57 CR SD 42KW(57HP) DIESEL NOT COMPATIBLE WITH II C63 LEE CLOTH IN SALOON AND AFT CABINS - FIRST 44

*1 1XA1R FIRST 44 PERFORMANCE - YANMAR 4JH57 CR SD 42KW(57HP) DIESEL NOT COMPATIBLE WITH PB C22 PEARL GREY HULL (HULL ONLY) (FOR FIRST 44)

*1 1XA1R FIRST 44 PERFORMANCE - YANMAR 4JH57 CR SD 42KW(57HP) DIESEL NOT COMPATIBLE WITH RN R01B2 AIS 800 - GARMIN (FOR FIRST 44)

-P R9EC FASTNET PACK - GARMIN (FOR FIRST 44) IMPLIES (OR) -P R9EB OFFSHORE PACK - GARMIN (FOR FIRST 44)

AU W11 PERFORMA ELECTRIC GENOA WINCHES H60.2STPEH/60.2STP IMPLIES (OR) *1 1XA1R FIRST 44 PERFORMANCE - YANMAR 4JH57 CR SD 42KW(57HP) DIESEL