



## GENERAL SPECIFICATIONS

• L.O.A *:	14,74m	48'4"
• Hull length:	12,77m	41'11"
• Overall width:	4,5m	14'9"
• Beam:	4,42m	14'6"
• Light displacement (EC):	12 200kg	27,896 lbs
• Air draft:	5,79m	19'
• Draught (including propeller):	1,15m	3'10"
• Fuel tank:	1 930L	510 US Gal
• Water tank:	640L	169 US Gal
• Sewage tank:	170L	45 US Gal
• Grey water tank (Option):	320L	85 US Gal
• Engine power:		
- standard	2 x 380 HP	2 x 380 HP
- Option	2 x 425 HP	2 x 425 HP

\* (with aft swimming platform + Anchor in position)

## ARCHITECTS / DESIGNERS

- Naval Architect: MICAD
- Design: Andreani Design

## EC CERTIFICATION

- Category B: 14 people
- Category C & D: 16 people

**seawapps**

CONNECT YOUR BOAT FREE YOUR MIND

## STANDARD EQUIPMENT

### CONSTRUCTION

#### HULL

Composition:

- Sandwich (Polyester resin infusion - Glass fiber)
- White gelcoat 9010
- Structural hull counter moulding in monolithic laminate (Polyester resin infusion - Glass fiber)

Profile:

- Semi-floating hull

#### DECK

Composition:

- Sandwich (Polyester resin infusion - Glass fiber / Balsa core)
- Structural counter moulding in monolithic laminate (Polyester resin - Glass fiber)
- White gelcoat 9010
- Diamond tip type non-slip covering

### AMBIANCE

- Alpi teak woodwork
- Teak deck, black joints
- Marlin Brilliant White PVC interior upholstery
- Pilot seat Anthracite
- Exterior upholstery Marlin Brilliant White PVC

## DECK EQUIPMENT

Gangway door to starboard

### MOORING LINES - MOORING

- Double stainless steel bow fitting
- 2 000 W Vertical electrical windlass, up / down and remote control from the windlass, wheelhouse and flybridge
- 10 Aluminum mooring cleats (L 400mm / 15 - 3/4")
- Stainless steel gunwale guards
- 2 Compartments equipped with self-bailers and polyester hoods

### SAFETY ON DECK

- Stainless steel pulpit, open and surrounding cockpit up to steps
- Leather covered stainless steel handrails, in the cockpit

### COCKPIT

- Self-draining cockpit
- 2 Lockers in cockpit bottom gas piston assisted and lockable
- Gas cylinder locker integrated into the cockpit aft bench
- Hot/cold water cockpit shower
- Double port cockpit access door
- Swimming platform with rubbing strake (4 x 1,4m / 13'1" x 4'7")
- Ergonomic bathing ladder with hand holds in the bathing platform
- 1 PMMA access door at the starboard side deck from the cockpit
- Emergency ladder

### FLYBRIDGE

- Flybridge self-draining
- Retractable stainless steel ladder with double access ramp to the flybridge with solid wood treads
- Grey tinted windscreen in PMMA
- Access by polyester hatch
- Stainless steel pulpit surrounding aft of flybridge
- Polyester mast for mounting navigation lights, radar and aerials
- Central steering console
- Control panel including: Electrical engine controls, Electric windlass control, Thruster and Flaps
- Gauges indicators
- Tiller angle indicator
- Space for navigation electronics
- Steering wheel stainless steel
- Steering compass
- Hydraulic steering
- Fog horn
- USB socket
- 1 Adjustable pilot seat and 3 places for co-pilot with convertible backrest
- Flybridge face-to-face saloon with 2 bench seats in an L shape, with integrated stowage and an extendable solid wood table
- GRP unit with sink, handrail and stowage
- Space for life raft with stainless steel fixing bolt plates

## INTERIOR

### SALOON

Headroom: 1,97m / 6'5"

- Raised U-shaped dinette convertible to double berth (2,4 x 1,32m / 7'10" x 4'4")
- Dividing rail and curtains for berth
- Roman blinds with opening window
- Adjustable height, varnished wood dining table
- Sideboard unit with shelved cupboards and winerack
- Sliding door aft 3 panel with black lacquered aluminium frame
- Leatherette sheathed stainless steel handrail in cockpit deckhead
- FUSION RA210 with 2 speakers in the wheelhouse, 2 speakers in the cockpit and 2 flybridge speakers

### GALLEY

Headroom: 1,97m / 6'5"

L-shaped galley

- Full height Fridge/Freezer 255 L/67 US Gal
- Corian countertop
- Large stainless steel sink with cold/hot water mixer
- Gas oven
- 3-burner hob with protective glass cover
- Overhead lockers
- Cutlery drawer
- Magic corner stowage, cupboards and drawers
- Double waste bin
- 220 V socket

### STEERING STATION

- Clear glass windscreen with aluminum frames black lacquered
- Anti-reflective coating
- 3 Synchronised windscreen wipers
- Windscreen washer
- Demister
- Side windows with black lacquered aluminum frames
- Dashboard with place for navigation electronics
- Oddments spaces and storage on port side
- Engine dials: Rev counter, Fuel gauge, Warnings, Tiller angle indicator, Flap indicators
- Control: Electric windlass, Bow thruster, Navigation lights, Electric windscreen wipers and fog horns, Electric dual engine controls
- Steering wheel
- Steering compass
- Cup holder
- Pilot seat with flip up bolster, fully adjustable leg with flip up footrest
- Sliding side door with direct access to sidedeck

### OWNER'S CABIN (FORWARD)

Headroom: 1,96m / 6'5"

- Double berth (1,99 x 1,60m / 6'6" x 5'3")
- Storage under berth
- Stowage on both sides of berth
- Large mirror
- 1 Hanging locker with lighting
- 1 Cupboard with shelves
- 1 Opening deck hatch with fitted mosquito screen/blind
- 2 Hull windows with opening portholes and blackout blind

### HEAD (OWNER'S CABIN)

Headroom: 1,96m / 6'5"

Separate shower compartment with seat and hull porthole

Deck hatch with mosquito screen/blind

- Mirror
- Top and bottom cupboard
- Electric toilet flushing with fresh water and salt water
- Oval washbasin
- 1 Opening deck hatch with fitted mosquito screen/blind
- 1 Hull porthole

### VIP CABIN (PORT)

Headroom: 1,92m / 6'3½"

- 2 Single beds (1,98 x 0,7m / 6'6" x 27½")
- In-fill cushions to make up double berth
- En-suite door to day head
- Bedside table
- Large mirror
- Wardrobe
- Cupboards
- Storage under berth
- 3 Shelving unit
- Hull window with opening porthole and blackout blind

### THIRD CABIN (STARBOARD)

Headroom: 2,01m / 6'7"

- Double berth (1,94 x 1,40m / 6'4½" x 4'7")
- Bedside shelf
- Wardrobe
- Storage under berth
- Opening hull portholes with curtains

### DAY HEAD (PORT SIDE)

Headroom: 1,93m / 6'4"

- Mirror
- Top and bottom cupboard
- Electric toilet flushing with fresh water and salt water
- Oval washbasin
- Separate shower compartment with seat and hull porthole
- Deck hatch with mosquito screen/blind
- 1 Opening deck hatch with fitted mosquito screen/blind
- 1 Hull porthole

## ENGINE

---

- Shaft line propulsion
- Four-blade propellers
- Cummins QSB 6,7L engines 2 x 380HP (2 x 279Kw) (standard)
- Cummins QSB 6,7L engines 2 x 425HP (2 x 313Kw) + Joystick (Option)
- Fuel filters
- Sea water filters
- Engine room soundproofed with high density foam (40mm thick)
- Air intake for cooling the engine compartment on the port hull plating
- 1 Extinguisher
- Double fuel tank filling cap
- 2 Aluminum fuel tanks (Capacity = 2 x 965L / 2 x 255 US Gal) inter-connected and pre-fitted for FPS (Fuel Polishing System) connection system
  
- Steering system:
  - 2 Rudders stainless steel
  - Hydraulic steering
  - Electric trim tabs

## ELECTRICITY

---

- Electrical panel (12V / 220V)
- Shore power socket (220V)
- 12 220V Sockets: 2 in the saloon, 2 in galley, 2 in master cabin, 1 in the VIP cabin, 1 in the 3rd cabin, 1 in the owner head, 1 in the 2nd head), + 2 for TV (Saloon + Owner's cabin)
- 12 USB sockets: 2 in the saloon, 2 at the pilot station, 4 in master cabin, 2 in the VIP cabin, 2 in the 3rd cabin
- 2 double antenna sockets (TNT - SAT)
- 2 12V 140Ah service batteries
- 4 12V 50Ah engine start batteries
- 4 12V 50Ah bow thruster batteries
- 2 Battery chargers 25 Ah
- 1 12 V socket
- Outside and inside lighting (Overhead lights, Reading lights)
- LED indirect lighting
- Outside lighting (Navigation lights, Anchor light with stainless steel mountings)

## PLUMBING

---

- 1 Manual bilge pump (Cockpit)
- 2 Automatic electric bilge pumps
- Water unit for pressurizing the hot / cold water circuit with accumulator tank
- 40 L / 11 US Gal water heater working off engine exchanger and 220 V
- Water tank filler
- 2 Roto moulded water tanks (2 x 320L / 2 x 85 US Gal)
- Drainage outlet for black water holding tank

## SMART BOARD

---

"SEANAPPS" smart technology:

- For monitoring the boat's status and receiving alerts as well as maintenance advice via the associated mobile application.
- The type of information collected (GPS position, batteries, engine info, navigation data, etc.) varies according to the boat's configuration.

**seanapps**

CONNECT YOUR BOAT FREE YOUR MIND

## MISCELLANEOUS ITEMS

---

Smoke detector

## TRIM LEVEL & PACKS

### TRIM LEVEL

	ESSENTIAL	CONFORT
<ul style="list-style-type: none"> <li>• 10 Cup holders</li> <li>• Pump for deck washing</li> <li>• AMS Web server (Ship control)</li> <li>• Pre-wiring for heating</li> <li>• Air conditioning pre-arrangement</li> <li>• 2 Additional service batteries (140A)</li> <li>• Inverter (2 KVA)</li> <li>• 2 9" Raymarine interior screens</li> <li>• 2 9" Raymarine exterior screens</li> <li>• Autopilot</li> <li>• Raymarine VHF</li> </ul>	<ul style="list-style-type: none"> <li>• ■</li> <li>• ■</li> <li>• ■</li> <li>• ■</li> <li>• ■</li> <li>• ■</li> <li>• ■</li> <li>• ■</li> <li>• ■</li> <li>• ■</li> <li>• ■</li> </ul>	<ul style="list-style-type: none"> <li>• ■</li> <li>• ■</li> <li>• ■</li> <li>• ■</li> <li>• ■</li> <li>• ■</li> <li>• ■</li> <li>• ■</li> <li>• ■</li> <li>• ■</li> <li>• ■</li> </ul>
<ul style="list-style-type: none"> <li>• Shore fresh water supply</li> <li>• Double station deck searchlight</li> <li>• 40L refrigerator, on flybridge</li> </ul>		<ul style="list-style-type: none"> <li>• ■</li> <li>• ■</li> <li>• ■</li> </ul>

### PACKS

#### ELECTRONIC PACK

- 2 12" Raymarine interior screens
- 2 12" Raymarine exterior screens
- AIS receiver system

#### SMART PACK

- Flybridge T-top with sliding soft-top
- Hydraulic swim platform 350kg toy allowance

#### AIR CONDITIONING PACK & PRE-FITTING FOR GENERATOR

- Pre-fitting for generator (7,5 KVA - 220V / 50Hz) + COCON
- Air conditioning (48 000 BTU) Mediterranean & Tropical:
  - Owner's cabin: 1x8 kBTU
  - Aft cabins: 1x8 kBTU
  - Wheelhouse: 2x16 kBTU

## OPTIONS

### AMBIANCE

- Teak plain doors (standard)
- Teak doors with teak slats & infill panel
- Teak doors with crème slats & infill panel
- Oak plain doors
- Oak doors with oak slats & infill panel
- Oak doors with crème slats & infill panel
- Oak strip version & Brown oak laminated floors
- African Spirit Grey carpet (Wheelhouse + Saloon)
- Skye 53 carpet (Cabins + Passageway)
- Infinity Zah Factor cream carpet (Cockpit)
- Bolt Greige 06 fabric interior upholstery
- Crevin Noah 52 fabric interior upholstery
- Foglizzo leather interior upholstery (DUKE15 -DUKE17-DUKE45)
- Foglizzo nubuck interior upholstery (LUGA10 & LUGA13)
- Marlin Brilliant White PVC cockpit seat
- Confort - Dolce 51 PVC cockpit seat
- Confort - Dolce 51 external upholstery, with bolster seat on flybridge
- Marlin Brilliant White PVC fore sun deck
- Confort - Dolce 51 PVC fore sun deck
- Grey "Perle" hull
- Steel blue hull

## INTERIOR LAYOUT / ONBOARD COMFORT

- Pre-fitting for 40 L combined microwave oven (as replacement for gas oven)
- Pre-fitting for microwave oven 46 L (as replacement for gas oven)
- Pre-fitting for washer dryer
- Pre-fitting for dishwasher
- 3 burner induction hob - 220V (replacing gas stove)
- 2 burner induction hob - 110V (replacing gas stove)
- Wine cellar 23 bottles in end of raised dinette
- Villeroy & Boch cutlery, crockery and illuminated glassware cupboard (8 places settings)
- Electric pedestal folding dinette table with drinks holders and handrail
- Water heating (12Kw)
- TV pre-wiring in master cabin (Fusion Apollo MS-RA770 + premium loudspeakers with stand for up to 24" TV)
- TV pre-wiring in the saloon (Fusion Apollo MS-RA770 + premium loudspeakers, in the saloon, cockpit and flybridge)
- Mosquito screens (Side doors + Aft window door + Portholes)

## EXTERIOR OPTIONS

- Complete mooring kit:
  - Delta anchor 25 kg
  - Chain (12mm diameter - Length 85m)
  - Mooring line (18mm diameter - Length 20m)
  - 4 Hawsers (18mm diameter - Length 15m)
  - 6 Fenders (250mm diameter - height 700 mm)
- Fore canvas sunshade
- Set of flybridge covers (console + bench seat + table)
- Outside protections: Oyster or Flanelle
  - Aft cockpit closing
  - Flybridge closing
  - Bimini of Flybridge
  - Flybridge dodgers
- Hydraulic gangway (2,72m deployed length)
- Aft platform tender mounting
- Black exterior curtains Sunworker in wheelhouse
- Ice maker, in saloon sideboard
- Electric flybridge grill
- Folding cockpit table & 2 chairs
- Demountable bathing ladder on portside
- Cockpit seat cushion PVC Marlin Brilliant White
- Cockpit seat cushion Dolce 51

## WATER SYSTEM

- Watermaker 60 l/h / 16 US Gal/hour
- Rigid sewage reserve

## ENGINE

- Cummins QSB 6,7L engines 2 x 425HP (2 x 279Kw)
- Cummins joystick (Engines & Bow thruster)
- Double station stern thruster (170 kgf)  
*(Not available with Joystick + requires the bow thruster)*
- 3rd Control joystick
- Automatic extinguishing system
- Cummins spares box

## NAVIGATION ELECTRONICS

- Windvane
- Rear camera
- Raymarine Radar
- Raymarine ClearCruise (augmented reality)